



**The Zero Threshold™  
Greenhouse Revolution**



# The Greenhouse Innovators

Eden is one of the UK's longest established greenhouse manufacturers and has an enviable reputation for quality and value. Just look at the benefits:

- Robust construction. Don't confuse our greenhouses with low specification cheapies made to a price.
- Models to meet all greenhouse gardening needs.
- All models available in our new black frame finish.
- All models feature extra-high eaves for more growing space and working comfort, but are not too high to heat economically.
- Easy to assemble. Clearly illustrated instructions supplied.
- High-quality aluminium framework for long life without maintenance.
- Extensive range of value-for-money accessories and options.

Eden greenhouses are sold through retailers all over the world, call us and we will give details of your local retailer and showsite.



## Zero Threshold™

Introducing the revolutionary, patent pending, Eden Zero Threshold™ Sliding Door System – The all new Eden Birdlip, Broadway, Burford, Blockley and Bourton feature the exclusive Zero Threshold™ door system. Finally a greenhouse door system has been developed that will not jam like so many others in the market. The system also does away with the traditional threshold bar, meaning there

is no possibility of tripping over. The new range also features many other unique features that will enhance your growing experience, learn more throughout the brochure and visit your nearest dealer to see the quality Eden Greenhouse range yourself.



United Kingdom patent Application No. 1415430.6 | Community Design No: 002546390-0001-0002



## What's in a name?

The new Eden Greenhouse range has been inspired by the beautiful gardens of the Cotswold villages that can be found in the countryside surrounding our factory and headquarters in rural Gloucestershire.



## SITING YOUR GREENHOUSE



## Tips

- Choose the largest Greenhouse you can fit in your space, you will soon fill the growing area with beautiful plants and delicious vegetables
- Make sure the site is level and true
- Avoid overhanging trees or buildings that could damage or shade the greenhouse
- Make sure there is plenty of space all around the Greenhouse both for construction and future maintenance
- Consider adding a water butt to collect rainwater for your plants
- A solar-powered automatic vent opener is a useful addition to ensure ventilation on hot days
- Greenhouse staging helps maximise your growing area and gives a useful working height

## CHOOSE YOUR GLAZING



When broken, will break into unpredictable shards



When broken, will break into tiny particles for safety





100% Designed and Manufactured  
by British Craftsmen

## Eden Birdlip

Although the smallest greenhouse in the range, the Birdlip is big on features and performance. High eaves ensure plenty of room for you and your specimen plants. Large roof vents keep the growing area well ventilated in the summer months. The revolutionary Zero Threshold™ door system ensures smooth, jam-free operation, while the large gutters enable

you to capture the most rainwater possible. 40mm downpipes are supplied as standard and are compatible with widely available plumbing parts.




Available with horticultural, long-pane toughened glass or twin wall polycarbonate, the Birdlip also comes in aluminium, green or black finishes.

Strong aluminium profiles and integral base ensure a long working life and like all Eden greenhouses, the Birdlip is covered by our 12 year frame guarantee.

Now even if you have a small garden, you do not have to compromise on performance.

Model	Size	Length	Width	Eaves	Ridge	Door	Roof vents	Glazing alternatives			Finish		
								Horti	Tough	Poly	Alum	Green	Black
Birdlip 44	1.95m <sup>2</sup>	1324mm	1478mm	1600mm	2134mm	Double	1	✓	✓	✓	✓	✓	✓
		4'5"	4'10"	5'3"	7'0"								
Birdlip 46	2.87m <sup>2</sup>	1942mm	1478mm	1600mm	2134mm	Double	2	✓	✓	✓	✓	✓	✓
		6'5"	4'10"	5'3"	7'0"								
Birdlip 48	3.78m <sup>2</sup>	2560mm	1478mm	1600mm	2134mm	Double	2	✓	✓	✓	✓	✓	✓
		8'5"	4'10"	5'3"	7'0"								

# The Zero Threshold™ Greenhouse Revolution



Eden Zero  
Threshold™  
door system



## COLOURS AVAILABLE



Black



Green



Aluminium

## FEATURES



Large roof vents



Gutter Clip System



Lockable doors





100% Designed and Manufactured  
by British Craftsmen

## Eden Burford


The Burford is a 6' wide Greenhouse with a single sliding door, featuring Eden's new, patent pending, Zero Threshold door system™, large roof vents and built-in wide gutters with downpipes supplied as standard.

The Burford is supplied with a strong integral base providing faster installation over a separate base. The high eaves give a spacious, airy feel and ensure a great atmosphere for you and your plants. Choose from 3mm horticultural


glass, 3mm long-pane, toughened, safety glass or 6mm polycarbonate glazing options. The Burford is available in three attractive frame finishes; aluminium, green and black.

Model	Size	Length	Width	Eaves	Ridge	Door	Roof vents	Glazing alternatives			Finish		
								Horti	Tough	Poly	Alum	Green	Black
Burford 66	3.77m <sup>2</sup>	1942mm	1942mm	1600mm	2300mm	Single	2	✓	✓	✓	✓	✓	✓
		6'5"	6'5"	5'3"	7'7"								
Burford 68	4.97m <sup>2</sup>	2560mm	1942mm	1600mm	2300mm	Single	2	✓	✓	✓	✓	✓	✓
		8'5"	6'5"	5'3"	7'7"								
Burford 610	6.17m <sup>2</sup>	3178mm	1942mm	1600mm	2300mm	Single	4	✓	✓	✓	✓	✓	✓
		10'5"	6'5"	5'3"	7'7"								


# The Zero Threshold™ Greenhouse Revolution



**Burford 66**



**Burford 68**



**Burford 610**

Classic  
greenhouse  
appearance  
with high eaves



## COLOURS AVAILABLE



Black



Green



Aluminium

## FEATURES



Wide gutter system



Strong tubular ridge bar



Optional crestring





## Eden Blockley

The Blockley is an 8' wide greenhouse with double sliding doors, featuring Eden's new Zero Threshold™ door system, four large roof vents and built-in wide gutters with downpipes supplied as standard.

The Blockley is supplied with a strong integral base for ease of installation.

The high eaves give a spacious, airy feel and ensures a great atmosphere for you and your plants.






100% Designed and Manufactured by British Craftsmen

Choose from 3mm horticultural glass, 3mm long pane toughened safety glass or 6mm polycarbonate glazing options. The Blockley is available in three attractive frame finishes; aluminium, green and black.

Model	Size	Length	Width	Eaves	Ridge	Door	Roof vents	Glazing alternatives			Finish		
								Horti	Tough	Poly	Alum	Green	Black
Blockley 810	8.13m <sup>2</sup>	3178mm	2560mm	1600mm	2525mm	Double	4	✓	✓	✓	✓	✓	✓
		10'5"	8'5"	5'3"	8'4"								
Blockley 812	9.71m <sup>2</sup>	3796mm	2560mm	1600mm	2525mm	Double	4	✓	✓	✓	✓	✓	✓
		12'6"	8'5"	5'3"	8'4"								
Blockley 814	11.3m <sup>2</sup>	4414mm	2560mm	1600mm	2525mm	Double	4	✓	✓	✓	✓	✓	✓
		14'6"	8'5"	5'3"	8'4"								



# The Zero Threshold™ Greenhouse Revolution



High capacity  
80mm wide  
gutters



## COLOURS AVAILABLE



Black



Green



Aluminium

## FEATURES



Capping with toughened glass



Large roof vents



Safety Corner Covers



## Eden Bourton

The huge Eden Bourton is a serious horticulturist's dream. The large volume of air ensures the perfect growing environment and leaves enough space for a potting bench or table and chairs to enjoy the atmosphere of the greenhouse.

Featuring a strong, integral base which speeds up the construction process,

the Bourton also boasts the no jam, patent pending, Eden Zero Threshold™ door system, making the greenhouse perfect for wheelchair users and for wheelbarrows and trolleys alike. Available with long pane toughened glass or twin wall polycarbonate, the Bourton also comes in aluminium, green or black finishes.



100% Designed and Manufactured  
by British Craftsmen


The large gutters and standard downpipes can harvest a vast amount of rainwater, perfect for watering the many plants you will be able to grow in the Bourton.

Strong aluminium profiles ensure a long working life and like all Eden greenhouses, the Bourton is covered by our 12 year frame guarantee.

Model	Size	Length	Width	Eaves	Ridge	Door	Roof vents	Glazing alternatives			Finish		
								Horti	Tough	Poly	Alum	Green	Black
Bourton 1012	12.06m <sup>2</sup>	3796mm 12'6"	3178mm 10'5"	1600mm 5'3"	2730mm 9'0"	Double	4	X	✓	✓	✓	✓	✓
Bourton 1016	15.99m <sup>2</sup>	5032mm 16'6"	3178mm 10'5"	1600mm 5'3"	2730mm 9'0"	Double	4	X	✓	✓	✓	✓	✓
Bourton 1020	19.92m <sup>2</sup>	6268mm 20'6"	3178mm 10'5"	1600mm 5'3"	2730mm 9'0"	Double	6	X	✓	✓	✓	✓	✓



# The Zero Threshold™ Greenhouse Revolution



Classic  
greenhouse  
appearance  
with high eaves



## COLOURS AVAILABLE



Black



Green



Aluminium

## FEATURES



Lockable doors



Wide gutter system



Strong tubular ridge bar



100% Designed and Manufactured  
by British Craftsmen

## Eden Broadway lean-to

The new Eden Broadway brings the award winning Zero Threshold™ door system to the lean-to greenhouse sector.

A lean-to greenhouse is a great choice for over-wintering plants because the sun will warm the wall during the day and that warmth will be released into the greenhouse at night, ensuring an


ideal growing environment. All Broadway models feature wide, lockable, double doors for perfect access together with high eaves giving plenty of room for plants and people. Wide gutters capture the most rainwater possible and are easy to keep clean. The Broadway lean-to is available in a choice of three attractive

frame finishes; aluminium or powder coated green or black, in either full length toughened safety glass or 6mm polycarbonate glazing. The frame features a strong integral base, speeding up the construction process and carries our 12 year frame guarantee.


Model	Size	Length	Width	Eaves	Ridge	Door	Roof vents	Glazing alternatives			Finish		
								Horti	Tough	Poly	Alum	Green	Black
Broadway 48	3.36m <sup>2</sup>	1315mm 4'4"	2560mm 8'5"	1935mm 6'4"	2333mm 7'8"	Double	1	X	✓	✓	✓	✓	✓
Broadway 68	4.93m <sup>2</sup>	1926mm 6'4"	2560mm 8'5"	1935mm 6'4"	2510mm 8'3"	Double	1	X	✓	✓	✓	✓	✓
Broadway 612	7.24m <sup>2</sup>	1926mm 6'4"	3760mm 12'4"	1935mm 6'4"	2510mm 8'3"	Double	2	X	✓	✓	✓	✓	✓




# The Zero Threshold™ Greenhouse Revolution



**Broadway 48**



**Broadway 68**



**Broadway 612**

**Eden Zero  
Threshold™  
door system**



## COLOURS AVAILABLE



Black



Green



Aluminium

## FEATURES



Lockable doors



Capping with toughened glass



Safety Corner Covers

## Accessories



### Shelf

2 slat aluminium shelf for the Zero Threshold™ range. Available in black, green or aluminium



### Birdlip Staging

4 slat aluminium staging for the Birdlip greenhouse. Available in black, green or aluminium



### 5 Slat Staging

5 slat aluminium staging for the Zero Threshold™ range. Available in black, green or aluminium



### Louvre

6 blade louvre available in black, green or aluminium



### Auto Louvre

A solar-powered opener for your louvre



### Autovent

A solar-powered autovent helps ensure ventilation when you are away from the greenhouse



### Water Butt

100L water butt with stand and hose compatible tap



### Joining Kit

Water butt joining kit for Zero Threshold™ range



### Cresting

Cresting is available for the Zero Threshold™ range of greenhouses





### **Spirals**

Plant spirals pack of 3



### **Plant Rings**

Plant rings pack of 20



### **Tie Supports**

Plant tie supports pack of 10



### **Heater**

Junior Paraffin Heater



### **Heater**

Senior Paraffin Heater



### **Heater**

Maxi Paraffin Heater



### **Solar Irrigation Unit**

Solar-powered pump with 12 drippers.  
Works with water butt



### **Bolts**

Square Headed Bolts/Nuts Pack of 20



### **Crops**

Cropped Headed bolts/Nuts pack of 20

**This is a small selection of our accessories - consult your dealer for the full range**



#### **Eden Halls Greenhouses Ltd**

The Distribution Centre  
Stoke Road  
Stoke Orchard  
Cheltenham  
Gloucestershire  
GL52 7RS

Tel.: 01242 676625

Fax.: 01242 676626

E-mail: [mail@eden-greenhouses.com](mailto:mail@eden-greenhouses.com)

**[www.edengreenhouses.com](http://www.edengreenhouses.com)**

As Eden Halls Greenhouses Limited pursues a policy of continual improvement, we reserve the right to alter specifications without notice.

All imperial measurements are approximate and for guidance only.

Your local distributor:



541 Printed matter 513